



**HAL**  
open science

## Introduction to the special issue on Mars seismology

Philippe Lognonné, Sharon Kedar, Victor Tsai

► **To cite this version:**

Philippe Lognonné, Sharon Kedar, Victor Tsai. Introduction to the special issue on Mars seismology. Bulletin of the Seismological Society of America, 2021, 111 (6), pp.2883-2888. 10.1785/0120210260 . hal-03917237

**HAL Id: hal-03917237**

**<https://u-paris.hal.science/hal-03917237v1>**

Submitted on 1 Jan 2023

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

# Introduction to the special issue on Mars seismology

Philippe Lognonné<sup>1\*</sup>, Sharon Kedar<sup>2</sup>, Victor C. Tsai<sup>3</sup>

(1) Université de Paris, Institut de physique du globe de Paris, CNRS, F75005 Paris, France

(2) Jet Propulsion Laboratory - California Institute of Technology, Pasadena, CA 91109, USA

(3) Dept. of Earth, Environmental and Planetary Sciences, Brown University, Providence, RI 02912, USA

\*Corresponding author : lognonne@ipgp.fr

## Declaration of Competing Interests :

The authors acknowledge there are no conflicts of interest recorded.

## Introduction

More than 1000 Martian days after its successful landing in Elysium Planitia on Mars on November, 26<sup>th</sup>, 2018, the InSight mission ([Banerdt et al., 2020](#)) continues to operate the Seismic Experiment for Internal Structure of Mars (SEIS) ([Lognonné et al., 2019](#)), nearly 45 years after the pioneering Viking seismic experiment ([Anderson et al., 1977](#)).

Prior to InSight's landing, very little was known about Martian seismic activity. It had been assumed to be roughly between that of the Earth and Moon, with 5-500 events per year with a magnitude larger than M4 (or a seismic moment release between  $10^{17}$  Nm/yr and  $10^{19}$  Nm/yr) ([Phillips 1991](#); [Golombek et al. 1992](#); [Knapmeyer et al. 2006](#); [Plesa et al. 2018](#)). The integrated SEIS system was therefore designed to enable the detection of a M4.6 event at a global range ([Lognonné et al., 2019](#)). Several pre-launch papers, including those published in two issues of Space Science Review ([The Insight Mission to Mars I & II, 2017, 2019](#); [Banerdt & Russel, 2017](#)) described detailed system assumptions and requirements for the expected instrument, environmental noise, seismic activity, internal structure and seismic signals.

The first post-landing results ([Banerdt et al., 2020](#); [Lognonné et al., 2020](#); [Giardini et al., 2020](#)) showed that Mars was much less active than thought prior to launch, with a significant deficit of large magnitude events. The 4 largest magnitude events reported during the first 500 sols (Martian days) of the mission were initially estimated to be in the range of 3.5-3.7 ([Clinton et al., 2021](#)). All but one of these magnitudes have been re-estimated to be 3.7 by [Böse et al. \(2021\)](#) using a calibration with Earth moment magnitude  $M_w$ . This suggests that none of the marsquakes detected before mid-August 2021 had seismic moments larger than  $10^{15}$  Nm.

Fortunately, the significantly lower than expected event ground acceleration has been compensated by much lower recorded noise than expected. This very low noise is due in part to the careful installation of SEIS by the InSight robotic arm ([Figure 1](#)), thermal and wind protection from the Wind and Thermal Shield (WTS), and the performance of the 3-axis Very Broad Band (VBB) instrument of SEIS itself. These resulted in a noise floor about 10 times below the pre-launch requirement during the low noise portions of the Martian day. This low-noise daily time window, which begins around Martian sunset and lasts only about 6 hours, has not surprisingly included the times of the majority of detected events ([Giardini et al., 2020](#); [Clinton et al., 2021](#)). No low-frequency events and only a few high-frequency events have been detected during the noisier daytime. The amplitude of both noise and event signals recorded by SEIS is therefore exceptionally low compared to the Earth and is very close to that observed on the Moon (see [Lognonné & Johnson, 2015](#) for a review of comparative planetary seismology).

Following the initial post-landing results (Lognonné *et al.*, 2020, Giardini *et al.*, 2020, Knapmeyer-Endrun *et al.*, 2021, Khan *et al.*, 2021, Stähler *et al.*, 2021) and an AGU special issue on InSight (InSight at Mars, 2021), this BSSA special issue on the seismology of Mars presents new analyses of SEIS data, as well as seismic instrumentation reports that describe instrument responses related to SEIS sub-systems, and analyses pertinent to the design of future planetary seismometers. Six of the following papers (Barkaoui *et al.*, 2021; Dahmen *et al.*, 2021; Hurst *et al.*, 2021; Kim *et al.*, 2021; Stott *et al.*, 2021; Zweifel *et al.*, 2021) are devoted to better understanding the recorded Martian seismic noise, which not only remains challenging to understand but is also a key for future improvement of all seismic event analysis. Two papers focus on seismic (Böse *et al.*, 2021) and infrasound (Garcia *et al.*, 2021) events. Two others (Menina *et al.*, 2021; Karakostas *et al.*, 2021) focus on the interpretation of high-frequency events, and particularly their attenuation and scattering properties, following up on earlier studies (Lognonné *et al.*, 2020; Giardini *et al.*, 2020; van Driel *et al.*, 2021). The final paper discusses possible future planetary seismic instrumentation (Erwin *et al.*, 2021).

## Observations

The first series of 6 papers (Barkaoui *et al.*, 2021; Dahmen *et al.*, 2021; Hurst *et al.*, 2021; Kim *et al.*, 2021; Stott *et al.*, 2021; Zweifel *et al.*, 2021) focuses on the analysis of Martian seismic noise, SEIS instrument performance, and their consequences for understanding SEIS data.

Stott *et al.* (2021) quantify the lander-generated noise reduction achieved by the deployment of SEIS. Prior to deployment, while still on the lander deck, SEIS was extremely sensitive to lander vibrations, with a wind sensitivity larger (Panning *et al.*, 2020) than that of the Viking lander seismic experiment (Anderson *et al.*, 1977). They demonstrate that placing the instrument on the ground reduced the noise by a factor of 100 to 1000, emphasizing the importance of ground deployment for planetary seismology.

However, despite its careful robotic installation on the ground and its shielding against temperature fluctuations and wind effects, SEIS remains sensitive to lander-generated noise, ground deformation generated by atmospheric pressure drops, thermally-induced cracks and shifts related to the large surface temperature variations, and crosstalk between SEIS and its housekeeping signals. The latter are described in detail by Zweifel *et al.* (2021) who describes the acquisition electronics and show that “tick” noise from this cross-talk is stable enough to be removed efficiently by data processing. Lander resonances are studied in detail by Dahmen *et al.* (2021), who catalog the major lander resonances up to 9Hz and characterize their dependence on temperature and wind, and their time-variable damping factors, polarizations and amplitudes. Hurst *et al.* (2021) focus their analysis on resonances of the sensor assembly system and especially those related to the Load Shunt Assembly, designed to decouple the SEIS sensors from mechanical noise transmitted by the electrical cable connecting it to the lander. The two analyses confirm that no resonances are observed below 1 Hz, but that these resonances must be accounted for in any analyses of signals above a frequency of 1 Hz. Continuing with seismic noise, Barkaoui *et al.* (2021) analyze the stochastic properties of recorded noise using machine learning algorithms, allowing for efficient tracking of transient events (e.g., atmospheric pressure drops and thermal “glitches”), but more importantly detecting and clustering glitches that repeat with stable offset times. The recorded seismic noise also affects noise correlograms, and Kim *et al.* (2021) perform an in-depth study of the impact of glitches in noise autocorrelations (Deng & Levander, 2020; Compaire *et al.*, 2021; Schimmel *et al.*, 2021; Knapmeyer-Endrun *et al.*, 2021). They discuss these previous autocorrelation results and conclude with guidance for making future autocorrelation interpretation more robust.

Bose *et al.* (2021) present an updated methodology for determining marsquake magnitudes from SEIS data as an update to previous methodologies (Bose *et al.*, 2018). They confirm that the largest quake

detected prior to October 2020 had a magnitude of 3.7, a maximum magnitude significantly smaller than that expected prior to launch.

The two papers on attenuation/scattering (Menina *et al.*, 2021; Karakostas *et al.*, 2021) extend the analysis (based on only a few events) previously made by Lognonné *et al.* (2020), by using 13 and 19 events, respectively, and different scattering theories. Menina *et al.* (2021) use elastic radiative transfer theory to study the energy envelopes of high-frequency events. They show that the typical coda decay time is frequency independent and that some events are best explained by propagation in a mostly dry medium, with possible stratification of scattering properties. Karakostas *et al.* (2021) use the two-layer diffusion model of Dainty *et al.* (1974), developed for Apollo seismic analysis. They confirm that the higher frequency events appear to have depths that are shallower than the lower frequency events. However, they do not find variations in coda properties with distance as expected, and suggest that there is significant lateral variation of diffusivity and scattering layer thickness near the InSight landing site.

Following the possible detection of infrasound events suggested by Martire *et al.* (2020) and an infrasound origin for part of the recorded noise (Stutzmann *et al.*, 2021), Garcia *et al.* (2021) perform an extensive search of the seismic and pressure data for pressure infrasound signals that produce ground signals through compliance effects. They reject most candidates, leaving only 2 infrasound candidates, on sols 421 and 521, with satisfactory compliance ratios. The origin of these two events remains unknown.

### **Lesson learned for future missions in planetary seismology**

Several of the papers already described provide important constraints for designing future planetary seismological missions. These include constraints on lander noise (Stott *et al.*, 2021), design of future service loops and cables (Hurst *et al.*, 2021), design of future high-performance acquisition electronics (Zweifel *et al.*, 2021), the importance of pre-launch characterization of lander resonances (Dahmen *et al.*, 2021), the importance of minimizing thermal glitch occurrence and strength (Kim *et al.*, 2021), and the potential for machine learning in automated planetary geophysical stations (Barkaoui *et al.*, 2021).

The final contribution of this issue from Erwin *et al.* (2021) provides further guidance for future planetary seismic deployments. They analyze the impact of internal friction in seismometer Brownian noise and show that this noise has been underestimated at very long periods in most of the previously developed seismometer noise models. Although this noise is overshadowed by thermal noise for SEIS on Mars, the associated  $1/f$  noise will have important implications in the design of future seismometers for the Moon, especially when attempting to reach performance levels about 10 times better than the Martian SEIS VBB.

### **Closing thoughts about future missions in planetary seismology**

Collectively, the papers in this special issue describe valuable insights for understanding the signals from seismic activity on Mars, and for planning future seismometer deployments on extraterrestrial bodies. Anyone analyzing seismic records still being sent back from Mars by InSight will need to be aware of the analyses in the papers in this special section, to prevent misinterpretation of apparent signals and to understand the original of the signals present in the SEIS data.

More importantly, with the anticipated future seismic exploration on both Mars and other terrestrial bodies in our solar system, the lessons learned from the SEIS experience will improve future data acquisition on extraterrestrial bodies. Planned missions to Mars (Exomars, Zelenyi *et al.*, 2016), the Moon (Farside Seismic Suite, Panning *et al.*, 2021; Chang'e 7, Zou *et al.*, 2019) and Titan (Dragonfly, Turtle *et al.*, 2020; Lorenz *et al.*, 2021) have seismometer packages, exciting developments that may result in the possibility for new types of planetary seismology, such as 2-station seismology on Mars and the Moon.

This already impressive series of missions with seismometers over the next decade may be complemented by new missions, if selected, such as the Europa lander (e.g; [Kedar et al., 2020](#), [Burke et al., 2020](#)), the Lunar Geophysical mission ([Neal et al., 2020](#), [Weber et al., 2021](#)), a geophysical package on Artemis ([Lognonné et al., 2020](#)) or even gravitational-wave detectors on the Moon that may enable the detection of lunar free oscillations ([Harms et al., 2021](#)). Seismology is therefore well on its way towards solar-system-wide comparative seismic studies, a new frontier for understanding the planets and planetoids in our solar system and more broadly the origins of our solar system. Lessons learned from Apollo, Viking and now InSight about the design of planetary seismometers, their deployment and operation, and seismic signal processing and signal interpretation will help us perform the best seismic monitoring of these terrestrial bodies and lead to the better scientific understanding of our solar system through future missions.

## Data and Resources

SEIS consists of a 3-axis Very Broad Band (VBB) seismometer and a 3-axis Short Period (SP) seismometer, deployed successfully on the surface in February 2019. SEIS provides continuous 20 samples-per-second (sps) data for the VBB sensors, as well as selected “event” data at rates up to 100 sps for both the VBB and SP. In addition, pressure and wind speed are monitored by the Auxiliary Payload Sensor Suite (APSS) experiment ([Banfield et al., 2018](#)).

All SEIS data ([Mars SEIS data service, 2019a, 2019b](#)) through June 30, 2021 are available at the Data Center of the Institut de Physique du Globe de Paris (IPGP), the Data Management Center of the Incorporated Research Institutions for Seismology (IRIS DMC), and the NASA Planetary Data System (PDS). The APSS data are available at NASA PDS. The InSight marsquake event catalogue ([Clinton et al., 2020](#); [InSight Marsquake service, 2021](#)), which provides timing of events as well as preliminary information such as seismic phase arrival times and, when possible, magnitudes and locations of the marsquakes, is also available for the same time period at the same repositories. Future data and catalogues will also be released every quarter.

## Acknowledgements:

We gratefully acknowledge the support of the National Aeronautics and Space Administration, the Centre National d’Etudes Spatiales, and of the SEIS partner agencies and institutions (United Kingdom Space Agency, UKSA; Swiss Space Office, SSO; Deutsches Zentrum für Luft- und Raumfahrt, DLR; Jet Propulsion Laboratory, JPL; Institut de physique du globe de Paris, IPGP; Centre National de la recherche Scientifique, CNRS; Eidgenössische Technische Hochschule Zürich, ETHZ; Imperial College London, ICL; Max Planck Institute for Solar System Research, MPS; Max-Planck-Gesellschaft, MPG). We thank the operators at JPL, SEIS on Mars operation Center (SISMOC), Mars SEIS data service (MSDS), IRIS-DMC, PDS and Marsquake Service (MQS) for providing SEED SEIS data and the MQS event catalogue. We thank W.B. Banerdt for comments and for his leadership as the Principal Investigator of the InSight mission. We thank all reviewers for the quality of their reviews for papers submitted to this special issue and we especially thank Thomas L. Pratt, outgoing BSSA Editor-in-Chief, for his comments and support. This is InSight contribution 238.

## References:

Anderson, D. L., W. F. Miller, G. V. Latham, Y. Nakamura, M. N. Toksoz, A. M. Dainty, F. K. Duennebieer, A. R. Lazarewicz, R. L. Kowach, and T. C. Knight (1977), Seismology on Mars. *J. Geophys. Res.* 82, 4524–4546, doi: [10.1029/JS082i028p04524](https://doi.org/10.1029/JS082i028p04524)

Banerdt, W. B. and C. T. Russell, (2017), Editorial on: Topical Collection on InSight Mission to Mars. *Space Sci Rev* 211, 1–3, doi: [10.1007/s11214-017-0414-0](https://doi.org/10.1007/s11214-017-0414-0)

Banerdt, W. B., S. Smrekar, D. Banfield, D. Giardini, M. Golombek, C. Johnson, P. Lognonné, A. Spiga, T. Spohn, C. Perrin, S. Stähler, D. Antonangeli, S. Asmar, C. Beghein, N. Bowles, E. Bozdag, P. Chi, U. Christensen, J. Clinton, G. Collins, I. Daubar, V. Dehant, M. Drilleau, M. Fillingim, W. Folkner, R. Garcia, J. Garvin, J. Grant, M. Grott, J. Grygorczuk, T. Hudson, J. Ervin, G. Kargl, T. Kawamura, S. Kedar, S. King, B. Knapmeyer-Endrun, M. Knapmeyer, M. Lemmon, R. Lorenz, J. Maki, L. Margerin, S. McLennan, C. Michaut, D. Mimoun, A. Mittelholz, A. Mocquet, P. Morgan, N. Mueller, N. Murdoch, S. Nagihara, C. Newman, F. Nimmo, M. Panning, W. Pike, A.-C. Plesa, S. Rodriguez, J. Rodriguez-Manfredi, C. Russell, N. Schmerr, M. Siegler, S. Stanley, E. Stutzmann, N. Teanby, J. Tromp, M. van Driel, N. Warner, R. Weber, and M. Wiczorek (2020), Initial results from the InSight mission on Mars. *Nature Geoscience*, 13, 183-189, doi: [10.1038/s41561-020-0544-y](https://doi.org/10.1038/s41561-020-0544-y).

Banfield, D., J. A. Rodriguez-Manfredi, C. T. Russell, K. M. Rowe, D. Leneman, H. R. Lai, P. R. Cruce, J. D. Means, C. L. Johnson, A. Mittelholz, S. P. Joy, P. J. Chi, G. Mikellides, S. Carpenter, S. Navarro, E. Sebastian, J. Gomez-Elvira, J. Torres, L. Mora, V. Peinado, A. Lepinette, The TWINS Team, K. Hurst, P. Lognonné, S. E. Smrekar, and W. B. Banerdt (2019), InSight Auxiliary Payload Sensor Suite (APSS), *Space Sci Rev*, 215, 4, doi: [10.1007/s11214-018-0570-x](https://doi.org/10.1007/s11214-018-0570-x).

Barkaoui, S., P. Lognonné, T. Kawamura, E. Stutzmann, L. Seydoux, M. De Hoop, R. Balestrieri, J.-R. Scholz, G. Sainton, M. Plasman, S. Ceylan, J. Clinton, A. Spiga, R. Widmer-Schmidrig, F. Civilini, and W. B. Banerdt (2021), Anatomy of streaming Mars SEIS data from unsupervised learning, *Bull. Seism. Soc. America*, this issue, doi: [10.1785/0120210095](https://doi.org/10.1785/0120210095).

Böse, M., D. Giardini, S. Stähler, S. Ceylan, J. Clinton, M. van Driel, A. Khan, F. Euchner, P. Lognonné, and W. B. Banerdt (2018), Magnitude Scales for Marsquakes, 108, 2764–2777, *Bulletin of the Seismological Society of America*, doi: [10.1785/0120180037](https://doi.org/10.1785/0120180037).

Böse, M.D., S. C. Stähler, N. Deichmann, D. Giardini, J. Clinton, P. Lognonné, S. Ceylan, M. van Driel, C. Charalambous, N. Dahmen, A. Horleston, T. Kawamura, A. Khan, M. Knapmeyer, G. Orhand-Mainsant, J.-R. Scholz, F. Euchner and W. B. Banerdt (2021) Magnitude Scales for Marsquakes Calibrated from InSight Data, *Bull. Seism. Soc. America*, this issue, doi: [10.1785/0120210045](https://doi.org/10.1785/0120210045)

Burke, K. N. ; DellaGiustina, D. ; Bailey, S. ; Avenson, B. ; Otterbacher, S. ; Bray, V. J. (2020), The Seismometer to Investigate Ice and Ocean Structure (SIOS), American Geophysical Union, Fall Meeting 2020, abstract #P044-0018

Clinton, J., D. Giardini, M. Böse, S. Ceylan, M. van Driel, F. Euchner, R. F. Garcia, S. Kedar, A. Khan, S. C. Stähler, B. Banerdt, P. Lognonne, E. Beucler, I. Daubar, M. Drilleau, M. Golombek, T. Kawamura, M. Knapmeyer, B. Knapmeyer-Endrun, D. Mimoun, A. Mocquet, M. Panning, C. Perrin, and N. A. Teanby (2018), The Marsquake Service: Securing Daily Analysis of SEIS Data and Building the Martian Seismicity Catalogue for InSight, *Space Sci. Rev.*, 214, 133, doi: [10.1007/s11214-018-0567-5](https://doi.org/10.1007/s11214-018-0567-5).



Clinton, J., S. Ceylan, M. van Driel, D. Giardini, S. C. Stähler, M. Böse, C. Charalambous, N. Dahmen, A. Horleston, T. Kawamura, A. Khan, G. Orhand-Mainsant, J.-R. Scholz, F. Euchner, W. B. Banerdt, P. Lognonné, D. Banfield, E. Beucler, R. F. Garcia, S. Kedar, M. Panning, C. Perrin, T. Pike, S. Smrekar, A. Spiga, and A. Stott, (2020), The Marsquake Catalog from InSight, Sols 0-478: Data content and non-seismic events, *Phys. Earth Planet. Int.*, 106595, doi: [10.1016/j.pepi.2020.106595](https://doi.org/10.1016/j.pepi.2020.106595),

Compaire, N., L. Margerin, R. F. Garcia, B. Pinot, M. Calvet, G. Orhand-Mainsant, D. Kim, V. Lekic, B. Tauzin, M. Schimmel, E. Stutzmann, B. Knapmeyer-Endrun, P. Lognonné, W. T. Pike, N. Schmerr, L. Gizon and W. B. Banerdt (2021). Autocorrelation of the ground vibrations recorded by the SEIS-InSight seismometer on Mars, *J. of Geophys. Res.: Planets*, 126, e2020JE006498. doi: [10.1029/2020JE006498](https://doi.org/10.1029/2020JE006498)

Dahmen N. L., G. Zenhäusern, J. F. Clinton, D. Giardini, S. C. Stähler, S. Ceylan, C. Charalambous, M. van Driel, K. J. Hurst, S. Kedar, P. Lognonné, N. Murdoch, R. Myhill, M. P. Panning, W. T. Pike, M. Schimmel, C. Schmelzbach, J.-R. Scholz, A. E. Stott, E. Stutzmann, and W. B. Banerdt (2021), Resonances and Lander Modes observed by InSight on Mars (1-9 Hz), *Bull. Seism. Soc. America*, this issue, doi: [10.1785/0120210056](https://doi.org/10.1785/0120210056)

Deng, S., and A. Levander (2020). Autocorrelation reflectivity of Mars. *Geophys. Res. Lett.*, 47, e2020GL089630. doi : [10.1029/2020GL089630](https://doi.org/10.1029/2020GL089630)

van Driel, M., S. Ceylan, J. F. Clinton, D. Giardini, A. Horleston, L. Margerin, S. C. Stähler, M. Böse, C. Charalambous, T. Kawamura, A. Khan, G. Orhand-Mainsant, J.-R. Scholz, F. Euchner, M. Knapmeyer, N. Schmerr, W. T. Pike, P. Lognonné, and W. B. Banerdt (2021). High frequency seismic events on Mars observed by InSight, *Journal of Geophysical Research: Planets*, 126, e2020JE006670, doi: [10.1029/2020JE006670](https://doi.org/10.1029/2020JE006670)

Erwin, A., L. A. N. de Paula, N. C. Schmerr, D. Shelton, I. Hahn, P. R. Williamson, H. J. Paik, and T. C. P. Chui (2021), Brownian Noise and Temperature Sensitivity of Long-Period Lunar Seismometers, *Bull. Seism. Soc. America*, this issue, doi: [10.1785/0120210072](https://doi.org/10.1785/0120210072)

Garcia R. F., N. Murdoch, R. Lorenz, A. Spiga, D. C. Bowman, P. Lognonné, D. Banfield, and W. B. Banerdt (2021), Search for infrasound signals in InSight data using coupled pressure/ground deformation methods, *Bull. Seism. Soc. America*, this issue, doi: [10.1785/0120210079](https://doi.org/10.1785/0120210079)

Giardini, D., P. Lognonné, W. Banerdt, W. Pike, U. Christensen, S. Ceylan, J. Clinton, M. van Driel, S. Stähler, M. Böse, R. Garcia, A. Khan, M. Panning, C. Perrin, D. Banfield, E. Beucler, C. Charalambous, F. Euchner, A. Horleston, A. Jacob, T. Kawamura, S. Kedar, G. Mainsant, J.-R. Scholz, S. Smrekar, A. Spiga, C. Agard, D. Antonangeli, S. Barkaoui, E. Barrett, P. Combes, V. Conejero, I. Daubar, M. Drilleau, C. Ferrier, T. Gabsi, T. Gudkova, K. J. Hurst, F. Karakostas, S. King, M. Knapmeyer, B. Knapmeyer-Endrun, R. Llorca-Cejudo, A. Lucas, L. Luno, L. Margerin, J. McClean, D. Mimoun, N. Murdoch, F. Nimmo, M. Nonon, C. Pardo, A. Rivoldini, J. A. Rodriguez-Manfredi, H. Samuel, M. Schimmel, A. Stott, E. Stutzmann, N. Teanby, T. Warren, R. Weber, M. Wiczorek, and C. Yana (2020), The Seismicity of Mars, *Nature Geoscience*, 13, 205-212, doi : [10.1038/s41561-020-0539-8](https://doi.org/10.1038/s41561-020-0539-8).

Golombek, M.P., W. B. Banerdt, K. L. Tanaka, and D. M. Tralli, A prediction of Mars seismicity from surface faulting. *Science* 258, 979–981 (1992). doi: [10.1126/science.258.5084.979](https://doi.org/10.1126/science.258.5084.979)

Harms J, Ambrosino F, Angelini L, Braitto V, Branchesi M, Brocato E, Cappellaro E, Coccia E, Coughlin M, Ceca R D, Valle M D, Dionisio C, Federico C, Formisano M, Frigeri A, Grado A, Izzo L, Marcelli A, Maselli A, Olivieri, M, Pernechele C, Possenti A, Ronchini S, Sera nelli R, Severgnini P, Agostini M,

Badaracco F, Bertolini A, Betti L, Civitani M M, Collette C, Covino S, Dall'Osso S, D'Avanzo P, DeSalvo R, Giovanni M D, Focardi M, Giunchi C, van Heijningen J, Khetan N, Melini D, Mitri G, Mow-Lowry C, Naponiello L, Noce V, Oganessian G, Pace E, Paik H J, Pajewski A, Palazzi E, Pallavicini M, Pareschi G, Pozzobon R, Sharma A, Spada G, Stanga R, Tagliaferri G and Votta R 2021 The Astrophysical Journal 910 1 URL doi: [10.3847/1538-4357/abe5a7](https://doi.org/10.3847/1538-4357/abe5a7)

Hurst, K. J., J. Ervin; L. Fayon, S. Kedar, B. Knapmeyer-Endrun, C. Schmelzbach, M. van Driel, P. Lognonné, and W. Banerdt (2021), Resonances of the InSight Seismometer on Mars, Bull. Seism. Soc. America, this issue, doi: [10.1785/0120210137](https://doi.org/10.1785/0120210137)

The InSight Mission to Mars I (2017), Space Science Reviews, 211, issue 1-4.

The InSight Mission to Mars II (2019), Space Science Reviews, ISSN: 0038-6308 (Print) 1572-9672 (Online)

InSight at Mars (2021), American Geophysical Union publications, ISSN: 2169-9100.INSIGHT

InSight Mars SEIS Data Service (2019a). InSight SEIS Data Bundle. PDS Geosciences (GEO) Node. doi: [10.17189/1517570](https://doi.org/10.17189/1517570)

InSight Mars SEIS Data Service (2019b). SEIS raw data, InSight Mission. IPGP, JPL, CNES, ETHZ, ICL, MPS, ISAE-Supaero, LPG, MFSC. doi: [10.18715/SEIS.INSIGHT.XB](https://doi.org/10.18715/SEIS.INSIGHT.XB)

InSight Marsquake Service. (2021). Mars seismic catalogue, InSight mission; v7 2021-07-01. ETHZ, IPGP, JPL, ICL, Univ. Bristol. doi: [10.12686/a12](https://doi.org/10.12686/a12)

Karakostas, F., N. Schmerr, R. Maguire, Q. Huang, D. Kim, V. Lekic, L. Margerin, C. Nunn, S. Menina, T. Kawamura, P. Lognonné, D. Giardini, and W. B. Banerdt (2021). Scattering Attenuation of the Martian Interior through Coda Wave Analysis, Bull. Seism. Soc. America, this issue, doi: [10.1785/0120210253](https://doi.org/10.1785/0120210253)

Kedar, S. ; Panning, M. P. ; Standley, I. M. ; Blaes, B. R. ; Walsh, W. ; Calcutt, S. B. ; Pike, W. T. ; Pierce, D. R. ; Schmidt, B. E. ; Hobbs, T. E. ; Badalian, M. ; Liu, J. ; Franklin, G. W. (2020, The Europa Seismic Package, American Geophysical Union, Fall Meeting 2020, abstract #P044-0020

Kim, D., P. Davis, V. Lekić, R. Maguire, N. Compaire, M. Schimmel, E. Stutzmann, J. C. E. Irving, P. Lognonné, J.-R. Scholz, J. Clinton, G. Zenhäusern, N. Dahmen, S. Deng, A. Levander, M. Panning, R. F. Garcia, D. Giardini, K. Hurst, B. Knapmeyer-Endrun, F. Nimmo, W. T. Pike, L. Pou, N. Schmerr, S. C. Stähler, B. Tauzin, R. Widmer-Schnidrig, and W. B. Banerdt (2021), Potential Pitfalls in the Analysis and Structural Interpretation of Mars' Seismic Data from InSight, Bull. Seism. Soc. America, this issue, doi: [10.1785/0120210123](https://doi.org/10.1785/0120210123)

Khan, A., S. Ceylan, M. van Driel, D. Giardini, P. Lognonne, H. Samuel, N. Schmerr, S. Stähler, A. C. Duran, Q. Huang, D. Kim, C. Charalambous, J. F. Clinton, P. M. Davis, M. Drilleau, F. Karakostas, V. Lekic, R. R. Maguire, C. Michaut, M. P. Panning, W. T. Pike, B. Pinot, M. Plasman, J.-R. Scholz, R. Widmer-Schnidrig, T. Spohn, S. E. Smrekar, and W. B. Banerdt, Imaging the upper mantle structure of Mars with InSight seismic data (2021), Science, 373, 434-438, doi: [10.1126/science.abf2966](https://doi.org/10.1126/science.abf2966)

Knapmeyer, M., J. Oberst, E. Hauber, M. Wählisch, C. Deuchler, and R. Wagner, Working models for spatial distribution and level of Mars' seismicity. J. Geophys. Res. 111, E11006 (2006). doi: [10.1029/2006JE002708](https://doi.org/10.1029/2006JE002708)



Knapmeyer-Endrun, B. M. P. Panning, F. Bissig, R. Joshi, A. Khan, D. Kim, V. Lekić, B. Tauzin, S. Tharimena, M. Plasman, N. Compaire, R. F. Garcia, L. Margerin, M. Schimmel, É. Stutzmann, N. Schmerr, E. Bozdağ, A.-C. Plesa, M. A. Wieczorek, A. Broquet, D. Antonangeli, S. M. McLennan, H. Samuel, C. Michaut, L. Pan, C. Perrin, S.E. Smrekar, C. L. Johnson, N. Brinkman, A. Mittelholz, A. Rivoldini, P. M. Davis, P. Lognonné, B. Pinot, J.-R. Scholz, S. Stähler, M. Knapmeyer, M. van Driel, D. Giardini, and W. B. Banerdt (2021), Thickness and structure of the Martian crust from InSight seismic data, *Science*, 373, 438-443, doi: [10.1126/science.abf89662021](https://doi.org/10.1126/science.abf89662021)

Lognonné, P., and C. L. Johnson (2015), 10.03—Planetary seismology, in *Treatise on Geophysics*, 2nd edn., vol. 10, ed. by G. Schubert (Elsevier, Oxford,), pp. 65–120. doi: [10.1016/B978-0-444-53802-4.00167-6](https://doi.org/10.1016/B978-0-444-53802-4.00167-6)

Lognonné, P., W.B. Banerdt, D. Giardini, W.T. Pike, U. Christensen, P. Laudet, S. de Raucourt, P. Zweifel, S. Calcutt, M. Bierwirth, K.J. Hurst, F. Ipelaan, J.W. Umland, R. Llorca-Cejudo, S. Larson, S. Kedar, B. Knapmeyer-Endrun, D. Mimoun, A. Mocquet, M.P. Panning, R.C. Weber, A. Sylvestre-Baron, G. Pont, N. Verdier, L. Kerjean, L.J. Facto, V. Gharakanian, J.E. Feldman, T.L. Hoffman, D.B. Klein, K. Klein, N.P. Onufer, J. Paredes-Garcia, M.P. Petkov, J.R. Willis, S.E. Smrekar, M. Drilleau, T. Gabsi, T. Nebut, O. Robert, S. Tillier, C. Moreau, M. Parise, G. Aveni, S. Ben Charef, Y. Bennour, T. Camus, P.A. Dandonneau, C. Desfoux, B. Lecomte, O. Pot, P. Revuz, D. Mance, J. tenPierick, N.E. Bowles, C. Charalambous, A.K. Delahunty, J. Hurley, R. Irshad, H. Liu, A.G. Mukerherjee, I.M. Standley, A. E. Stott, J. Temple, T. Warren, M. Eberhardt, A. Kramer, W. Kühne, E.-P. Miettinen, M. Monecke, C. Aicardi, M. André, J. Baroukh, A. Borrien, A. Bouisset, P. Boutte, K. Brethomé, C. Brysbaert, T. Carlier, M. Deleuze, J.M. Desmarres, D. Dilhan, C. Doucet, D. Faye, N. FayeRefalo, R. Gonzalez, C. Imbert, C. Larigauderie, E. Locatelli, L. Luno, S. Mehdi, J.-R. Meyer, F. Mialhe, J.M. Mouret, M. Nonon, Y. Pahn, A. Paillet, P. Pasquier, G. Perez, R. Perez, L. Perrin, B. Pouilloux, A. Rosak, I. Savin de Larclause, J. Sicre, M.Sodki, N. Toulemont, B. Vella, C. Yana, F. Alibay, O. Avalos, M. Balzer, P. Bhandari, E. Blanco, B.D. Bone, J. Bousman, P. Bruneau, F.Calef, R.J. Calvet, S. D'Agostino, G. de los Santos, R. Deen, B. Denise, J. Ervin, N. Ferraro, H.E Gengl, F. Grinblat, D. Hernandez, M. Hetzel, M. Johnson, L. Khachikyan, J. Lin, S. Madzunkov, S. Marshall, L. Mikellides, E.A.Miller, W. Raff, J. Singer, C. Sunday, J. Villalvazo, M.C. Wallace, D. Banfield, J.A. Rodriguez-Manfredi, C.T. Russell, A. Trebi-Ollennu, J.N. Maki, E. Beucler, M. Böse, C. Bonjour, J.L. Berenguer, S. Ceylan, J. Clinton, V. Conajero, I. Daubar, V. Dehant, P. Delage, F. Euchner, I. Estève, L. Fayon, L. Ferraioli, C. Johnson, J. Gagnepain-Beyneix, M. Golombek, A. Khan, T. Kawamura, B. Kenda, P. Labrot, N. Murdoch, C. Pardo, C. Perrin, L. Pou, A. Sauron, D. Savoie, S. Stähler, E. Stutzman, N.A. Teanby, J. Tromp, M. van Driel, M. Wieczorek, R. Widmer-Schnidrig, and J. Wookey, SEIS: Insight's Seismic Experiment for Internal Structure of Mars, *Space Sci Rev*, 215, 12, doi : [10.1007/s11214-018-0574-6](https://doi.org/10.1007/s11214-018-0574-6), 2019.

Lognonné, P., W. B. Banerdt, W. T. Pike, D. Giardini, U. Christensen, R. F. Garcia, T. Kawamura, S. Kedar, B. Knapmeyer-Endrun, L. Margerin, F. Nimmo, M. Panning, B. Tauzin, J.-R. Scholz, D. Antonangeli, S. Barkaoui, E. Beucler, F. Bissig, N. Brinkman, M. Calvet, S. Ceylan, C. Charalambous, P. Davis, M. van Driel, M. Drilleau, L. Fayon, R. Joshi, B. Kenda, A. Khan, M. Knapmeyer, V. Lekic, J. McClean, D. Mimoun, N. Murdoch, L. Pan, C. Perrin, B. Pinot, L. Pou, S. Menina, S. Rodriguez, C. Schmelzbach, N. Schmerr, D. Sollberger, A. Spiga, S. Stähler, A. Stott, E. Stutzmann, S. Tharimena, R. Widmer-Schnidrig, F. Andersson, V. Ansan, C. Beghein, M. Böse, E. Bozdağ, J. Clinton, I. Daubar, P. Delage, N. Fuji, M. Golombek, M. Grott, A. Horleston, K. Hurst, J. Irving, A. Jacob, J. Knollenberg, S. Krasner, C. Krause, R. Lorenz, C. Michaut, B. Myhill, T. Nissen-Meyer, J. ten Pierick, A.-C. Plesa, C. Quantin-Nataf, J. Robertsson, L. Rochas, M. Schimmel, S. Smrekar, T. Spohn, N. Teanby, J. Tromp, J. Vallade, N. Verdier, C. Vrettos, R. Weber, D. Banfield, E. Barrett, M. Bierwirth, S. Calcutt, N. Compaire,

C. Johnson, D. Mance, F. Euchner, L. Kerjean, G. Mainsant, A. Mocquet, J. A. Rodriguez Manfredi, G. Pont, P. Laudet, T. Nebut, S. de Raucourt, O. Robert, C. T. Russell, A. Sylvestre-Baron, S. Tillier, T. Warren, M. Wiczorek, C. Yana, and P. Zweifel (2020), Constraints on the shallow elastic and anelastic structure of Mars from InSight seismic data, *Nature Geoscience*, 13, 213-220, doi: [10.1038/s41561-020-0536-y](https://doi.org/10.1038/s41561-020-0536-y).

Lognonné, P., N. Schmerr, D. Antonangeli, S. H. Bailey, B. Banerdt, M.E. Banks, C. Beghein, M. Benna, M. Bensi, E. Bozdogan, P. Brown, T. Chui, L.L. Dai, D. DellaGiustina, A. Erwin, M.J. Fouch, Samara Data, R.G. Garcia, E. Garnero, S.P.S. Gulick, T.A. Hurford, J. Irving, K. Jani, C.L. Johnson, T. Kawamura, J.T. Keane, A. Khan, M. Knapmeyer, B. Knapmeyer-Endrun, A. Loeb, J.M. Madiedo, L. Margerin, A.G. Marusiak, C. Michaut, Y. Nakamura, C.R. Neal, C. Nunn, J.L. Ortiz, H.J. Paik, M. Panning, L. de Paula, B. Romanowicz, L. Schleicher, C. Schmelzbach, P. Senthil Kumar, S. Smrekar, S.C. Solomon, S.C. Stähler, N. Takeuchi, T.R. Watters, R. Weber, J. West, M. Wiczorek, P. R. Williamson, R. Yamada (2020), Seismology on artemis iii: exploration and science goals, Lunar Planetologie Institute reports, Science Definition Team for Artemis, abstract 2030

Lorenz, R.D., H. Shiraishi, M. Panning, K. Sotzen (2021), Wind and surface roughness considerations for seismic instrumentation on a relocatable lander for Titan, *Planetary and Space Science*, 206, 105320, doi: [10.1016/j.pss.2021.105320](https://doi.org/10.1016/j.pss.2021.105320)

Martire, L., R. F. Garcia, L. Rolland, A. Spiga, P. H. Lognonné, D. Banfield, W. B. Banerdt, and R. Martin, (2020). Martian infrasound: Numerical modeling and analysis of insight's data. *Journal of Geophysical Research: Planets*, 125, e2020JE006376. doi: [10.1029/2020JE006376](https://doi.org/10.1029/2020JE006376)

Menina, S., L. Margerin, T. Kawamura, P. Lognonné, J. Marti, M. Drilleau, M. Calvet, N. Compaire, R. Garcia, F. Karakostas, N. Schmerr, M. van Driel, S. C. Stähler, M. Plasman, D. Giardini, S. Carrasco, B. Knapmeyer-Endrun, G. Sainton, B. Banerdt (2021), Energy envelope and attenuation characteristics of High Frequency (HF) and Very High Frequency (VF) Martian events, *Bull. Seism. Soc. America*, this issue, doi: [10.1785/0120210127](https://doi.org/10.1785/0120210127)

Neal, C.R., R.C. Weber, B. Banerdt, C. Beghein, P. Chi, D. Currie, S. Dell'Agnello, R. Garcia, I. Garrik-Bethell, R. Grimm, M. Grott, H. Haviland, T. Kawamura, S. Kedar, P. Lognonné, S. Nagihara, Y. Nakamura, C. Nunn, L. Ostrach, M. Panning, N. Petro, N. Schmerr, M. Siegler, T. Watters, M. Wiczorek, and K. Zacny, The Lunar Geophysical Network (LGN) is critical for solar system science and human exploration, 51st Lunar and Planetary Science Conference, abstract 2355

Panning, M. P., W. T. Pike, P. Lognonné, W. B. Banerdt, N. Murdoch, D. Banfield, C. Charalambous S. Kedar, R. D. Lorenz, A. G. Marusiak, J. B. McClean, C. Nunn, S. C. Stähler, A. E. Stott, and T. Warren (2020). On-deck seismology: Lessons from InSight for future planetary seismology. *Journal of Geophysical Research: Planets*, 125, e2019JE006353. doi: [10.1029/2019JE006353](https://doi.org/10.1029/2019JE006353)

Panning, M., S. Kedar, N. Bowles, D. Bugby, S. Calcutt, J. Cutler, J. Elliott, R. F. Garcia, T. Kawamura, P. Lognonné, E. Miller, C. Nunn, W. T. Pike, G. Pont, S. de Raucourt, I. Standley, W. Walsh, R. Weber, C. Yana (2021), Farside Seismic Suite (FSS): First seismic data from the farside of the Moon delivered by a commercial lander, American Geophysical Union, fall meeting, Abstract #839546

Peterson, J., (1993) Observations and modelling of background seismic noise. Open-file report 93-322, U.S. Geological Survey, Albuquerque, New Mexico. <http://earthquake.usgs.gov/regional/asl/pubs/>

Phillips, R. J. (1991), Expected rates of marsquakes, in Scientific Rationale and Requirements for a Global Seismic Network on Mars. (Lunar and Planet. Inst., Houston, 1991), pp. 35–38. LPI Tech. Rep. 91-02 LPI/TR- 91-02

Plesa, A. C., M. Knapmeyer, M. P. Golombek, D. Breuer, M. Grott, P. Lognonné, N. Tosi, and R. C. Weber (2018), Present day Mars' seismicity predicted from 3D thermal evolution models of interior dynamics. *Geophys. Res. Lett.* 45, 2580–2589, doi: [10.1002/2017GL076124](https://doi.org/10.1002/2017GL076124)

Schimmel, M., E. Stutzmann, P. Lognonné, N. Compaire, P. Davis, M. Drilleau, R. F. Garcia, D. Kim, B. Knapmeyer-Endrun, V. Lekic, L. Margerin, M. Panning, N. Schmerr, J.-R. Scholz, A. Spiga, B. Tauzin, and B. Banerdt (2021). Seismic noise autocorrelations on Mars. *Earth and Space Science*, 8, e2021EA001755. doi: [10.1029/2021EA001755](https://doi.org/10.1029/2021EA001755)

Scholz, J.-R., R. Widmer-Schnidrig, P. Davis, P. Lognonné, B. Pinot, R. F. Garcia, F. Nimmo, K. Hurst, S. Barkaoui, S. de Raucourt, L. Pou, N. Compaire, G. Mainsant, A. Cuvier, E. Beucler, M. Bonnin, R. Joshi, E. Stutzmann, M. Schimmel, A. Horleston, M. Böse, S. Ceylan, J. Clinton, M. van Driel, T. Kawamura, A. Khan, S. C. Stähler, D. Giardini, C. Charalambous, A. E. Stott, W. T. Pike, U. Christensen, and W. B. Banerdt (2020), Detection, Analysis, and Removal of Glitches From InSight's Seismic Data From Mars, *Earth and Space Science*, 7, e2020EA001317, doi: [10.1029/2020EA001317](https://doi.org/10.1029/2020EA001317),

Stott, A.E, C. Charalambous, T. J. Warren, W. T. Pike, R. Myhill, N. Murdoch, J. B. McClean, A. Trebi-Ollennu, G. Lim, R. F. Garcia, D. Mimoun, S. Kedar, K. J. Hurst, M. Bierwirth, P. Lognonné, N. A. Teanby, A. Horleston and W. B. Banerdt (2021), The site tilt and lander transfer function from the short period seismometer of InSight on Mars, *Bull. Seism. Soc. America*, this issue, doi: [10.1785/0120210058](https://doi.org/10.1785/0120210058)

Stähler, S. C., A. Khan, W. B. Banerdt, P. Lognonné, D. Giardini, S. Ceylan, M. Drilleau, A.C. Duran, R. F. Garcia, Q. Huang, D. Kim, V. Lekic, H. Samuel, M. Schimmel, N. Schmerr, D. Sollberger, É. Stutzmann, Z. Xu, D. Antonangeli, C. Charalambous, P. M. Davis, J. C. E. Irving, T. Kawamura, M. Knapmeyer, R. Maguire, A. G. Marusiak, M. P. Panning, C. Perrin, A.-C. Plesa, A. Rivoldini, C. Schmelzbach, G. Zenhäusern, É. Beucler, J. Clinton, N. Dahmen, M. Van Driel, T. Gudkova, A. Horleston, W. T. Pike, M. Plasman, and S. E. Smrekar (2021), Seismic detection of the martian core, *Science*, 373, 443-448, doi : [10.1126/science.abi7730](https://doi.org/10.1126/science.abi7730)

Stutzmann, E., M. Schimmel, P. H. Lognonné, A. C. Horleston, S. Ceylan, M. van Driel, S. C. Stähler, M. Calvet, C. Charalambous, J. Clinton, M. Drilleau, L. Fayon, R. F. Garcia, D. Giardini, K. Hurst, A. Jacob, T. Kawamura, B. Kenda, L. Margerin, N. Murdoch, M. D. Panning, T. Pike, J.-R. Scholz, and A. Spiga (2020) Polarized ambient noise on Mars, *Journal of Geophysical Research: Planets*, **125**, e2020JE006545, doi: [10.1029/2020JE006545](https://doi.org/10.1029/2020JE006545),

Turtle, E.P., M. G. Trainer, J. W. Barnes, R. D. Lorenz, K. E. Hibbard, D. S. Adams, P. Bedini, W. B. Brinckerhoff, M. T. Burks, M. L. Cable, C. Ernst, C. Freissinet, K. Hand, A. G. Hayes, S. M. Hörst, J. R. Johnson, E. Karkoschka, J. W. Langelaan, D. J. Lawrence, A. Le Gall, J. M. Lora, S. M. MacKenzie, C. P. McKay, R. S. Miller, S. Murchie, C. D. Neish, C. E. Newman, J. I. Núñez, J. Palacios, M. P. Panning, A. M. Parsons, P. N. Peplowski, L. C. Quick, J. Radebaugh, S. C. R. Rafkin, M. A. Ravine, S. Schmitz, H. Shiraishi, J. M. Soderblom, K. S. Sotzen, A. M. Stickle, E. R. Stofan, C. Szopa, T. Tokano, C. Wilson, R. A. Yingst, K. Zacny (2020), Dragonfly: in situ exploration of titan's organic chemistry and habitability, 51st Annual Lunar and Planetary Science Conference, abstract 2288.

Weber, R., Neal, C. R., Grimm, R., Grott, M., Schmerr, N., Wieczorek, M., ... Zuber, M. (2021). The scientific rationale for deployment of a long-lived geophysical network on the Moon. *Bulletin of the AAS*, 53(4). <https://doi.org/10.3847/25c2cfef.674dcfdf>

Zweifel, P., D. Mance, J. ten Pierick, D. Giardini, C. Schmelzbach, T. Haag, T. Nicollier, S. Ceylan, S. Stähler, M. van Driel, D. Sollberger, F. Euchner, J. F. Clinton, M. Bierwirth, M. Eberhardt, P. Lognonné, W. T. Pike, W. B. Banerdt (2021), Seismic High-Resolution Acquisition Electronics for the NASA InSight Mission on Mars, Bull. Seism. Soc. America, this issue, doi: [10.1785/0120210071](https://doi.org/10.1785/0120210071)

Zelenyi, L.M., Korablev, O.I., Rodionov, D.S. Novikov, B. S. , Marchenkov, K. I., Andreev, O. N., Larionov, E. V. (2015), Scientific objectives of the scientific equipment of the landing platform of the ExoMars-2018 mission. Sol Syst Res 49, 509–517. doi: 10.1134/S0038094615070229

Zou, Y., U. Liu and Y.Jia (2020), Overview of china's upcoming chang'e series and the scientific objectives and payloads for Chang'e-7 mission, 51st Lunar and Planetary Science Conference, abstract 1755.

**Author addresses:**

Philippe Lognonné  
Equipe Planétologie et Sciences Spatiales, Case 7071  
Université de Paris, Institut de physique du globe de Paris  
35, rue Helene Brion  
75013 Paris, France

Sharon Kedar  
Jet Propulsion Laboratory  
4800 Oak Grove Dr.  
Pasadena, CA 91109, USA

Victor Tsai  
Department of Earth, Environmental and Planetary Sciences  
Brown University  
324 Brook Street  
Providence, RI 02912, USA





*Figure 1: A) The Sensor assembly of SEIS on the ground just prior the deployment of the Wind and Thermal Shield (WTS), on February 2, 2019. B) Picture taken on September 27, 2021 showing the fully installed WTS two and a half years later. These two images were taken on sol 66 and sol 1008 since InSight landing, respectively.*